


PC Pagemaker 6.5 Guidelines for PostScript Files

These instructions are intended for files that are one color (black). If your job contains color, please contact Thomson-Shore for further information. The dialog boxes shown in these instructions were generated from a Windows 98 computer.


You must setup a PostScript printer first before making PostScript from Pagemaker. See our guideline for installing a Microsoft PostScript Printer Driver. If you use these same settings for multiple files, you can setup a Printer Style for a specific trim size. Then you can pull down **File** to **Printer Styles** and select the one you defined.


Open up your book in Pagemaker. Go to **File** and **Print**.
Select the **DOCUMENT** button.

Select the **Linotronic 530 on File:** printer.
Use the **Linotronic 530** or **Acrobat Distiller** PPD.
In the **Pages** area, select the range of pages you want to include in the postscript file.
Select the **Print blank pages** check box.
Clear all other check boxes.
Orientation should be portrait.



Refer to the picture below for details.





Next select the **PAPER** button.


For paper **Size**: select Custom.

If there are bleeds in your book, make your Width and Height 1" larger than your final trim size. You also need to check the **Printer's marks** box if you have bleeds.

If there are no bleeds, make your Width and Height the same size as your final trim.

Tiling should be set to None.

Scale should be set to 100%).




Next select the **OPTIONS** button.

Send image date: should be set to *Normal*. **Data encoding**: can be ASCII or Binary.

Download fonts: should be set to *PostScript and TrueType*.

Check the **Write PostScript to file**: box and **Browse** to the location on your system where you want this file to be saved. You can name your file or leave the default name.

Select **Normal** and check the **Page independence** box.



Next select the **COLOR** tab.

Composite and **Grayscale** should be selected here. If you are using the Acrobat Distiller PPD than **Composite** and **Color** should be selected. All other boxes should be unchecked. The **Frequency** and **Angle** values don't matter.

Finally click **Save** to create your PostScript file.